

Index

a

- Abnormal material supply 556
- Abnormal process 556
- Abrasive jet machining (AJM) 383, 415
- Accessibility 344
- Accessibility analysis 356, 360
- Accessible resources 568
- Accuracy 338, 458
- Acrylonitrile butadiene styrene (ABS) 546
- Active system types
 - interferometry 193, 195
 - laser pulse 193, 194
 - photogrammetry 193, 195
 - time-of-flight 193, 194
 - triangulation 193, 194
- Adaptability 505, 510, 521
- Additive layer manufacturing (ALM) 535, 536
- Additive manufacturing (AM) 6, 9, 417, 535, 538, 541, 549, 551–557, 559, 560
- After-sale services 501
- Agflation 571
- Agility 505, 510
- Air acidification 586, 592
- American system 3
- Annual global temperature 569, 570
- Application integration 503
- Architecture types
 - baseline 517
 - in-transit 517
 - target 517
- Articulated robot 229
- Artificial intelligence (AI) 515, 518
- Assembling systems 290
- Assembly design 10
- Augmented reality (AR) 514
- Autodesk Recap 209, 210
- Automated fibre placement (AFP) 485
- Automated material handling systems (AMHSs) 374, 378
- Automated storage and retrieval systems (AS/RS) 289, 374, 376, 378
- Automatibility 369
- Automatically programmed tools (APT) 396, 398
- Automation types
 - element-level 373
 - full-automation 371, 372
 - hard-automation 371
 - machine-level 374
 - programmable-automation 371
 - system-level 374
- Autonomous guided vehicles (AGVs) 372, 378, 514
- Auxiliary tools
 - drill bits 289
 - milling cutter 289
 - shapers 289
- Axes
 - primary rotary axes 387
 - secondary linear axes 387
- Axiomatic design theory (ADT) 143, 164, 221, 338

b

- Barrel 433
 - Base supports 337
 - Basic length unit (BLU) 380
 - Basic mechanism
 - cam 231
 - eye-bar type link 231
 - intermittent-motion devices 231
 - screw 231
 - tension-compression parts 231
 - wheel and axis 231
 - Batch production 292
 - Batch-size-one 372
 - Bernoulli theorem 424
 - Big data (BD) 520, 521
 - Big data analytics (BDA) 505, 515, 518, 521, 522, 530
 - Big dimensionality 520
 - Bill of materials (BoM) 109, 164, 333
 - Binder jetting 543, 545
 - Blockchain technologies (BCT) 515
 - Block structure 400
 - Boolean operation 98
 - Bottom-up approach 86, 146, 147, 150
 - Boundary element analysis 67
 - Box jigs 335, 336
 - Braiding process simulation 485
 - Bushing 466
 - Business functions 367
 - Business intelligence (BI) 373, 500, 510, 511
 - Business process integration 503
- c**
- CAD-to-part process 174, 176
 - Camera for photogrammetry 209
 - Cam lock 336
 - Capital
 - cost 338
 - depreciation 594
 - flow 571
 - Carbon footprint 586, 592
 - Casting 414, 416, 420
 - Casting elements
 - coe 431
 - cores 430
 - drag 431
 - flask 431
 - gates 430
 - mold 431
 - riser 441
 - runner 431
 - sprues 430
 - vents 430
 - Cavities 430, 436, 460–462, 468, 473, 475, 478
 - Cell formation problem (CFP) 320
 - Cellular manufacturing (CM) 283, 286, 294, 296, 320–322, 324–326, 346
 - Center of gravity (CoG) 268
 - Central computing units (CPUs), 19
 - Chvorinov rule 426
 - Clampers 337, 344, 345
 - Clamper types
 - actuated parallel 348
 - eccentric 348
 - screw 348
 - toe 348
 - toggle 348
 - Clamping unit 466
 - Classification methods
 - chain-type structure (polycode) 307, 308, 310
 - hierarchical structure (monocode) 307, 308
 - mixed-code structure 307, 311
 - Clay model 174
 - Cleaner production 566
 - Climate change 572
 - Clockwise (CW) 116
 - Closed-loop 225, 226
 - Closed system 349, 565
 - Close-range photogrammetry (CRP) 200
 - Cloud
 - computing 19, 505
 - scalability 19, 515
 - services 209
 - technology 18, 19
 - CO₂ 569, 576, 586
 - Cold working 416, 417
 - Combined chain 226

- Common object request broker architecture (CORBA) 503
- Comparator 382
- Complex machine 221
- Component object model (COM) 503
- Composability 504
- Composite product approach 320
- Composition operations 70
- Compression moulding 483, 484
- Computational geometry 37
- Computational geometry approaches
 - ball-pivoting algorithm 182
 - crust algorithm 182
 - power crust algorithm 182
 - tight cocoon algorithm 182
- Computed tomography (CT) 178, 200
- Computer-aided
 - automated drafting and machining (ADAM) 8, 9
 - geometric modelling 37
 - machine design 219
 - mould analysis 439, 483
 - mould design 475
 - tools 4, 5, 7, 20, 160, 586
- Computer-aided design (CAD) 7, 22, 179, 269, 333, 372, 375, 452, 500, 503, 511, 542, 550, 559, 561
- Computer-aided design and manufacturing (CAD/CAM) 8, 14, 21, 22, 25, 179, 356, 374, 457
- Computer-aided engineering (CAE) 9, 118, 179, 361, 375, 484, 511
- Computer-aided fixturing design (CAFD) 331, 333, 335, 357, 358, 500, 535, 541, 559
- Computer-aided manufacturing (CAM) 179, 333, 367, 372, 375, 384, 395, 398, 456, 500, 503, 535, 541, 559
- Computer-aided process planning (CAPP) 333, 357, 374, 511, 535, 541, 559
- Computer-aided quality (CAQ) 511
- Computer-aided reverse engineering (CARE) 173, 178, 208, 213
- Computer graphics 37
- Computer graphics approaches 181, 182
- Computer integrated manufacturing (CIM) 3, 6, 372, 500, 508, 518, 528
- Computerization 521
- Computerized scheduling and production control 374
- Computer numerical control (CNC) 5, 295, 348, 372, 374, 378, 380, 386, 390, 394, 395, 457, 492, 500, 511, 547, 554
- Concurrent engineering (CE) 6, 125, 128, 147, 164, 419, 500
- Connectivity 521
- Conserve energy 576
- Consistency 508
- Constructive solid geometry (CSG) 69, 72, 73
- Consumerization 515
- Contact device 191
- Continuity law 425
- Continuous flow process 292
- Continuous improvement (CI) 128, 129, 147, 149, 164, 505, 563, 584, 585, 587
- Continuous manufacturing 331
- Contouring algorithm 185, 187
- Control loop unit (CLU) 379, 380
- Conversational programming 394
- Convertibility 580
- Cooling channels 473, 474
- Cooling rates 443
- Cooling system 472
- Coordinate measurement machines (CMMs) 178, 200, 207, 377, 378
- Coordinate systems (CSs)
 - absolute 390, 392
 - Cartesian 39, 186, 229, 249, 387, 551
 - cylindrical 39, 233
 - default planes 387, 388
 - incremental 391, 393
 - inertia 263
 - local coordinate system (LCS) 235, 237, 239
 - polar 233
 - principal 260
 - spherical 39
 - world 264

- Coordinate transformation 43
 - mirroring 43, 45
 - projection 43, 45
 - rotation 43, 44
 - scaling 43, 44
 - translation 43, 44
- Cores 436, 475, 481
- Corner radii 439
- Counter 382
- Counterclockwise (CCW) 116
- Craft system 3
- Cross-products of inertia 260
- Cross-sections
 - circular 462
 - full round 463
 - modified trapezoid 463
- Crystallization 436
- Customer engagement 511
- Customer relationship management (CRM) 500, 511
- Customer requirements (CRs) 143, 284
- Cutting location (CL) file 396, 398
- Cutting tools 284, 398, 451, 456
- Cyber-physical system (CPS) 23, 501
- Cycle-time 474
- Cylindrical Workpiece 342

- d**
- Data
 - acquisition 179, 183, 188, 196, 197, 200
 - collection 520
 - integration 503
 - management 520
 - preparation 556
 - processing unit (DPU) 379, 380
 - rich but information poor (DRIP) 502
 - structure 72
 - utilization 520
- Data-enabled Resources 515
- Data processing types
 - comparison 183, 184
 - feature detection 183, 184, 205
 - filtering 183, 184, 201
 - registration and integration 183, 184, 204
 - segmentation 183, 184, 206
 - simplification and smoothing 183, 184, 205
 - surface reconstruction 183, 184, 205
- Dead spots 472
- Decentralization 504, 505
- Decentralized manufacturing 566, 567
- Decision-making support 367, 372, 499, 503, 521
- Dedicated fixtures 346
- Deflection limit 338
- Deformation plot 488
- Deforming process 417
- Degree of freedom (DoF) 157, 223, 224, 226, 230, 235, 337, 339, 343
- Delaunay triangulation 182
- Denavit–Hartenberg (D-H) parameters 157, 158, 246–248, 252
- Desertification 571
- Design
 - analysis 85
 - automation (DA) 87, 117
 - equations 87, 103, 104
 - intents 74, 87, 101, 103
 - methodology 10
 - parameters (DPs) 85, 145
 - space 12
 - synthesis 85
 - tables 87, 105, 116
 - templates 117
 - types
 - integrated 12, 14
 - new 12, 14
 - parametric 12, 14
 - redesign 12, 14
 - routine 12, 14
 - selection 12, 14
 - variables (DVs) 12, 109, 219, 221, 222
- Design for
 - assembly 22
 - modalability 438
- Design for additive manufacturing (DfAM) 535, 554, 555, 560
- Design for manufacturing (DFM) 126, 429, 438

- Design for manufacturability (DFM) 126, 500
 - Design for manufacturing and assembly (DfMA) 126
 - Design for sustainability (D4S) 563, 577, 584, 585, 587
 - Destructive device 191
 - Detachability 344
 - Deterministic location 338
 - Diagnosability 580
 - Diameter programming 389
 - Die
 - casting 453
 - extrusion 456
 - forging 456
 - sheet metal 456
 - stamping 456
 - Digital
 - engineering 511
 - factory 515, 518
 - modelling 176, 179
 - technology platform 511
 - twin 511
 - Digital manufacturing (DM) 499, 500, 502, 503, 505, 508, 511, 514, 518, 520, 521, 528
 - Digital model types
 - hybrid solid model 181
 - non-uniform rational basis spline (NURBS) 180
 - point cloud 180
 - polygonal 180
 - Digitization 502, 515, 549
 - Digitized manufacturing 535
 - Dimensional
 - accuracy 535
 - compensation 428
 - control 341
 - parameters 99
 - synthesis 230, 232
 - tolerances 421
 - Direct
 - kinematics 246
 - labor 284
 - manufacturing 535
 - Direct energy deposition (DED) 535, 543, 547, 548
 - Direct light processing (DLP) 543, 556, 559
 - Direct metal deposition (DMD) 535, 559
 - Direct metal laser sintering (DMLS) 556
 - Direct numerical controls (DNCs) 379, 381
 - Discipline domain 219, 220
 - Discrete
 - manufactured product 540
 - manufacturer 331, 333
 - Discrete event dynamic system (DEDS) 377, 511, 522, 523
 - Distance energy 205
 - Distributed
 - database 19
 - production 297
 - Distributed component object model (DCOM) 503
 - Distributed manufacturing (DM) 6, 290, 297, 299, 302
 - Downstream industry 454
 - Downtime 583
 - Draft 429
 - Draft analysis 477, 487
 - Draping simulation 485, 486
 - Drill bushing 336
 - Drop-on-demand (DOD) 545
 - Dynamic analysis 342, 343
 - Dynamic modelling 259, 265, 266
- e**
- Earth ecosystem 564, 575
 - Earth's ecology 573
 - Eco-efficiency 566
 - Eco-manufacturing 565
 - Edge computing 515
 - Ejection 436, 466
 - system 471
 - types
 - air 472
 - pin 472
 - sleeve 472
 - stripper 472
 - Electrochemical machining (ECM) 415
 - Electrochemical polishing 554

- Electro-discharge machining (EDM) 287
 - Electron beam melting (BM) 535, 547
 - Electronic industries association (EIA) 385, 386, 401
 - Electroplating 554
 - Elements of machine design
 - calculations 221
 - conceptions 221
 - inventions 221
 - refinements 221
 - specifications of details 221
 - visualizations 221
 - Elongation 487
 - Emissions
 - direct 574
 - indirect 564
 - Enabling technologies 575
 - End-effector 227, 229, 235, 244, 245, 251, 263
 - End-of-block (EOB) 400
 - Energy
 - consumption 423, 566–568, 573, 576
 - discovery 568
 - exploration 567, 568
 - flow 575
 - Engineering drawings 37
 - English system 3
 - Enterprise
 - mission 369
 - requirements planning 7
 - Enterprise architecture (EA) 503, 507–510, 515–517, 529
 - Enterprise data integration (EDI) 503
 - Enterprise information system (EIS) 367, 500
 - Enterprise resource planning (ERP) 7, 373, 500, 511, 514, 515
 - Entropy 506
 - Environmental deterioration 571
 - Environmental impact 576, 583, 586, 588, 591–593
 - Environmentally conscious manufacturing 563
 - Equations of motion 261
 - Euler angles 239, 240, 250
 - Euler–Poincare law 59, 63
 - Expandable mould casting
 - ceramic mould casting 423
 - expanded polystyrene casting 422
 - investment casting 422
 - plaster mould casting 422–423
 - sand casting 422
 - shell modeling casting 422
 - Exponential expression 241
 - Export embargoes 571
 - Extensible markup language (XML) 503
 - External discretionary 508
 - Extinction of species 563
- f**
- Failure modes and effects analysis (FMEA) 126
 - Feature-based modelling 74, 77, 78
 - Filling settings 447
 - Finish part 414
 - Finite element analysis 67, 187, 486
 - Fixed cost 137
 - Fixture
 - adaptive fixture 349, 377
 - adjustable 349
 - conformable fixture 349, 353
 - custom 347
 - design 354, 360, 418
 - design library 357
 - fixtureless system 349, 377
 - general-purpose 345, 346
 - milling 347
 - modular fixture 75, 349, 351
 - phase-change 349, 352
 - planning 355
 - system 288
 - tombstone 347
 - tools 418
 - unit design 355
 - welding and inspecting 456
 - Flash 435, 436, 440, 441
 - Flexibility 338, 504, 510
 - Flexible fixture system (FFS) 348, 377
 - Flexible manufacturing system (FMS) 3, 6, 286, 287, 295, 297, 302, 350, 374, 500

- Flow lines 294
 Flow+pack+warp 447
 Flow patterns 443
 Foil polymerization 539
 Food and water scarcity 571
 Food scarcity 571
 Footprint 574
 Force-closure condition 343
 Force equilibrium equations 264
 Forging 414
 Formability 416
 Form closure 343
 Forming process 540
 Forward dynamics 259
 Forward engineering 173, 174
 Forward kinematics 249
 Fossil fuel 568, 572
 Four-bar mechanism 230, 240
 Framework 358
 Free-body diagram (FBD) 261, 262, 343
 Free-form surfaces 174
 Free trade 574
 Functional design 10
 Functional oriented 347
 Functional prototyping 537
 Functional requirements (FRs) 85, 125, 142–144, 219, 221–223, 278, 337, 338, 458, 502, 518, 560
 Fused deposition modelling (FDM) 535, 552–554, 556, 558, 559
 Fused filament fabrication (FFF) 538
 Fuzzy control 377
- g**
- Gates 436, 441, 463, 464, 468–471
 Gate thickness 470
 G-code 380, 395, 396, 401
 Generalized coordinates 66
 Generative models 85
 Geometric
 constraints 87, 99, 100, 338
 control 339
 elements 39, 56
 features 331
 modelling 37
 tolerance 341
 topology 59
- Global
 economy 566, 572, 574
 registration 204
 temperature 571
 variables 103
 warming 563, 566, 569, 571, 574
- Globalized markets environmental concerns 566
- Global warming potential (GWP) 586
- Governing equations 424
- GRAI integrated methodology (GRAI-GIM) 508
- Graphic approach 523
- Graphic processing units (GPUs) 19
- Graphic user interface (GUI) 9
- Greenhouse gas emission 571, 574
- Green manufacturing 563, 564
- Green state 545
- Green supplies network (GSN) 583
- Gross domestic product (GDP) 1, 576
- Group technology (GT) 283, 303, 306, 321, 322, 326
- G-words 402
- h**
- Hardware in the loop (HIL) simulation 19
- Hardware system 15, 188, 191, 284, 288
- Heuristic algorithms
 conjugate gradient algorithm 219
 genetic algorithm 219
 quasi-Newton algorithm 219
 steepest descent algorithm 219
- High-performance computing (HPC) 518, 519
- Homogenous representation 235
- Hoppe algorithm 186
- Hot cutter machining (HCM) 554
- Hot working 416, 417
- Human and machine 368
- Humanizability 369
- Human machine interaction 5, 14, 566, 567
- Human-to-human 513

i

Identification and control equipment 289
 Indexed links 228
 Indirect labor 284
 Industrial
 Internet of Things (IIoT) 511, 518
 Manipulator 221
 revolution (IR) 500, 501, 573
 robots 376
 Industrial ecology 565, 566
 Industry types
 Primary 1
 Secondary 1
 Tertiary 1
 Inertia 259, 263
 Information and communication
 technologies (ICTs) 511
 Information flow 2, 287, 367–369
 Information system 85
 Information technology (IT) 5, 25, 173, 500,
 508, 513, 516
 Information transparency 502
 Infrastructure as a service (IaaS) 7
 Injection
 location 445
 mould 461
 moulding 414, 417, 432, 436, 437, 460, 474
 unit 433, 466, 541
 Inlet 472
 In-memory computing 515
 Inserts 436, 478
 Insight segmentation and registration toolkit
 (ITK) 186
 Inspection plans 333
 Integrability 580
 Integral product 136
 Integrated planning 514
 Integrity 508
 Interference detection 359
 International treaties 574
 Internet of Things (IoT) 20, 501, 502, 510,
 512, 513
 Intrinsic parameter 98, 99
 Inverse dynamics 259
 Inverse kinematics 245

Investment casting 546
 Islands of automation 499
 Isomorphic configurations 156
 Iterative closest point (ICP) 204, 205

j

Jacobian matrix 248–250
 Java remote method invocation (JavaRMI)
 503
 Jigs 335, 336
 Joint types
 cylindrical 225
 prismatic 225, 230, 251
 revolute 225, 229, 230, 251
 screw 225
 spherical 225
 universal 225
 Just in time (JIT) 500

k

Key performance indicators (KPIs) 505
 Kinematics 233
 analysis 342, 343
 approach 486
 chain 225, 232, 250
 and dynamic modelling 269, 278
 parameter 244
 Kinematic solver
 forward kinematic 240, 243, 249, 255
 inverse kinematic 240, 242, 243
 Kinematic synthesis 230
 Kinetic energy 266
 Knowledge-based engineering (KBE) 85, 87,
 89, 163, 164, 177, 213, 356, 451
 Knowledge reuse 130, 169

l

Lagrangian method 266, 269
 Laminated object manufacturing (LOM)
 547
 Laser beam machining (LBM) 415
 Laser beam melting (LBM) 535
 Laser micro-machining 554
 Law of flow continuity 465
 Layer technology 536, 538

- Layout of flexible manufacturing system
 - ladder 297, 298
 - loop 297, 298
 - open field 297, 298
 - progressive 297, 298
 - robot centre 297, 298
 - Layout of runners
 - balanced 464–466
 - h-bridge 464, 465, 467
 - radical 464, 465, 467
 - standard (herringbone) 464, 465, 467
 - star 464, 465, 467
 - unbalanced 464–466
 - Lead time 457, 518, 542
 - Leaf jigs 335, 336
 - Lean engineering 126
 - Lean manufacturing 500, 539, 563, 582
 - Lean production (LP) 3, 126, 563, 564, 582
 - Learning capability 505
 - Leveraging methods
 - beachhead 150, 153, 154
 - horizontal 150–152
 - vertical 150, 152, 153
 - Lifecycle thinking 566
 - Linearization 185
 - Line contacts, plane-on-line 343
 - line-on-plane 343
 - space 249
 - Linked cells 295
 - Link types
 - binary 223, 224
 - hexagon 223, 224
 - pentagon 223, 224
 - quaternary 223, 224
 - ternary 223, 224
 - Locating ring 468
 - Locators 336, 337, 344, 345, 347
 - Locator types
 - adjustable-pushing 347
 - adjustable-spring 347
 - concentric 347
 - flat 347
 - radical 347
 - round 347
 - Logistics management 542
 - Lost-wax casting 546
- m**
- Machine, learning 515
 - control unit (MCU) 378–380
 - design 219, 223, 270
 - design process 222
 - to environment 513
 - to human 513
 - to infrastructure 513
 - to machine (MTM) 511, 513
 - process control 368
 - Machined parts 383
 - Machinery 414, 451, 452, 572
 - Machine tools
 - drills 452
 - general purpose 287
 - grinders 452
 - laser 452
 - lathes 288, 388, 452
 - metal forming 287
 - mills 288, 388, 452
 - non-traditional 287
 - plastic forming 287
 - water-cutting 452
 - Machining operations
 - boring 414
 - broaching 288, 414
 - conventional 383
 - drilling 288, 414
 - grinding 288, 414
 - hobbing 288, 414
 - milling 288, 414
 - non-conventional 383
 - planning 288, 414
 - sawing 288, 414
 - shaping 288, 414
 - threading 288, 414
 - Machining parameters
 - coolant flow 376
 - cutting speed 376, 383
 - feed depth 376, 384
 - feed rate 376, 384
 - spindle speed 384

- Machining processes 382
- Machining programming 384
- Manifold 59, 185, 462
- Manual programing 394
- Manual teaching 376
- Manufacturing automation 371
- Manufacturing execution system (MES)
 - 373, 500, 511, 514, 515
- Manufacturing planning 368
- Manufacturing processes 284, 413, 420, 588
- Manufacturing resource planning 500
- Market needs 572
- Mass customization 139, 370, 501
- Mass production 139, 286, 287, 291, 331, 370
- Mass products of inertia 260
- Material
 - extrusion 543, 546
 - financial impact 592
 - flow 2, 287, 367–369, 503, 575
 - handling (MH) 283, 284, 288, 289, 297
 - jetting 543, 545, 546
 - library 587
 - processing 588, 589
 - production 287
 - removal processing 415
 - resource planning (MRP) 357, 500, 511
 - single-purpose 287
 - special-purpose 287
- Material handling tools 289
- Material removal rate 383
- Mate types
 - advanced 272
 - dimension 114
 - mechanical 272
 - standard 272
- M-code 380, 404
- Mechanical control 341
- Mechanisms
 - over-actuated 230
 - under-actuated 230
- Mechanization 369
- Melting 435, 436
- Metal deposition 547
- Metal forming
 - extruding 288
 - forging 288
 - processes 415
 - rolling 288
- Metal products 541
- Metal sheet forming 414
- Metalworking 376
- Metrics
 - for decision making 575
 - for sustainable manufacturing 575
- Microelectronics 501
- Micro-machining process (MMP) 554
- Million barrels of oil equivalent per day
 - (mboe/d) 567
- Mobility 226, 228, 504
- Modelling methods
 - boundary surface modelling (b-rep) 65
 - space decomposition 67
 - surface modelling 64
 - wireframe 63
- Modelling paradigm 523
- Modelling techniques 163
- Modelling tools
 - extruding 70, 77
 - lofting 70, 77
 - revolving 70, 77
 - sweeping 70, 77
- Model preparation 271
- Modular architecture 156
- Modularity 504, 580
- Modularity methods
 - bus based 143
 - component sharing 143
 - component swapping 143
- Modularization 130, 131, 133, 138, 142
- Modular manufacturing 514
- Modular product 136
- Module types
 - common 139
 - unique 139
 - variant 139
- Moldability 435
- Mold tool 478, 488
- Moments of inertia 259, 260
- Morphological knowledge reuse 86
- Morphology 163

- Motion analysis 240
 - Motion domain 219, 220
 - Motion path types
 - point-to-point path 392, 395
 - three-dimensional continuous path 393, 395
 - two-dimensional continuous path 393, 395
 - Motion profiles
 - constant speed 274
 - data points 274
 - distance 274
 - expression 274
 - oscillation 274
 - segments 274
 - servo motor 274
 - Motion study 38
 - Motion types
 - angular 260
 - linear 260
 - rotational 235, 237, 238
 - translational 235, 237
 - Motion variables
 - contact 274
 - damper 274
 - force 274
 - gravity 274
 - motor 274
 - spring 274
 - Mould
 - base 436
 - defects 440
 - filling 432, 439, 444, 446
 - layout analysis 447
 - making 536
 - plates 436
 - tool 418, 478, 479, 487
 - multiplier effect 2
 - Multi-point cutting 383
 - M-words 404, 406
- n**
- National Tooling and machining association (NTMA) 456
 - Natural resources 567, 572, 574, 576
 - Near-net-shape 541
 - Networked factory 514
 - Network models
 - collaborative cloud manufacturing 297, 302
 - contract manufacturing 297, 301
 - mobile factory 297, 301
 - owner-based micro production 297, 301
 - production franchise 297, 302
 - Newton–Euler formulation 261, 262
 - Non-contact device 191
 - Non-discretionary standards 508
 - Non-functional models 547
 - Non-permanent joint 416
 - Nonrenewable resources 567
 - Non-rotational products 305
 - Non-traditional machines
 - chemical 288
 - electrical 288
 - electro-discharge machining 288
 - electronic 288
 - physical processes 288
 - Number synthesis 230
 - Numerically control (NC) 74, 350, 375, 378, 380, 395, 399
- o**
- Object-oriented method (OOM) 131, 499, 523
 - Offline programming 376
 - Open-loop 225, 226, 349
 - Open-source programming 519
 - Opitz coding system 312–315
 - Outlet 472
- p**
- Pair-wise registration 204
 - Paper lamination technology (PLT) 547
 - Parallel computing 19
 - Parallelism 341
 - Parameter identity (ID) 97
 - Parametraized
 - curves 93
 - lines 91
 - points 89

- Parametraized (*contd.*)
 - surfaces 94
- Parametric design 10
- Parametric model 87–89, 174
- Pareto set 286, 287
- Part family 304
- Particulate process 416
- Parting lines 429, 441, 475, 476, 479
- Parting surfaces 476, 479
- Part-to-CAD process 174–176
- Passive stereo-vision 192, 193
- Pattern shrinkage allowance 428
- Permanent joint 416
- Permanent mold processes
 - basic permanent mold 423
 - centrifugal casting 423
 - continuous casting 423
 - die casting 423
 - squeeze casting 423
- Perpendicularity 341
- Persistence 505
- Petri nets 377
- Piecewise-linear interpolation 182
- Pipe and fitting 421
- Planar contacts 343
- Planar mechanism 227, 240
- Planes
 - primary plane 339, 341
 - secondary plane 339
 - tertiary plane 339
- Planning and scheduling 283
- Plasma arc 547
- Plastic forming
 - blow molding 288
 - injection molding 288
 - thermoforming 288
- Plastics moulding 453
- Platform as a service (PaaS) 7
- Platform elements 140
- Platforming technology 125, 129, 130, 133, 160, 283
- Platform integration 503
- Platform leveraging 149
- Point contacts
 - line-on-line 343
 - plane on point 343
 - point-on-plane 343
- Points cloud 174, 175, 179, 189
- Pollution 563, 566, 574
- Pollution control 566
- Population 568, 572, 573
- Positioning device 283
- positioning equipment 289
- Position methods
 - portable CMM scanning 197
 - portable scanning 197
 - structured lighting 197, 198
 - tracked scanning 197, 199
- Post-cutting treatment 454
 - heat treatment 454
 - Surface treatment 454
- Post-processing 553, 556
- Post-use 577
- Potential energy 266
- Pouring operation 424
- Pouring temperature 430
- Powder materials 544
- Powder metallurgy 414
- Power bed fusion (PBF) 543, 544
- Power supply 414
- Precision 458
- Predictive manufacturing, (PM) 6
- Predictivity 521
- Pre-manufacturing 577
- Primary shaping process 414
- 3-2-1 Principle 339, 342
- Processing operation 414
- Process types
 - adhesive bonding 539
 - casting 422, 428, 429, 432
 - cooling and refrigeration 572
 - deforming 451
 - electrochemical 572
 - extrusion 539
 - flow 523
 - forming 451, 452
 - injection moulding 541
 - lamination processing 539
 - lighting bonding 539, 545
 - liquid polymerization 539

- material removal 451, 452
 - miscellaneous 572
 - power bed fusion 544
 - sintering 539
 - thermoforming 483
 - Product classification and coding 305
 - Product cost 137
 - Product data management (PDM) 23
 - Product design graphics system (PDGS) 8
 - Product family 140, 305, 320
 - Product family types
 - module-based 143
 - scale-based 145
 - Production facilities 367, 375
 - Production family oriented 347
 - Production flow analysis (PFA) 304, 317
 - Production oriented 347
 - Product lifecycle assessment (LCA) 372, 501, 563–565, 584, 586, 588, 593, 596
 - Product lifecycle management (PLM) 7, 8, 20, 126, 500, 511, 563
 - Product platforms 132, 140, 142, 156, 162
 - Product, process, production, and platform (4P) 24
 - Product variants 135, 163
 - Programmable logic controllers (PLCs) 377, 501
 - Programming language 401
 - Program structure 400
 - Property enhancement 414
 - Property enhancement types
 - annealing 416
 - grain refining 416
 - hardening 416
 - normalizing 416
 - shot peening 416
 - tempering 416
 - Pumping mechanism 228
 - Pure rotation 238
- q**
- Quality
 - control 7, 355
 - durability 459
 - maintainability 459
 - performance 459
 - plans 333
 - product life 459
 - standards 333
 - Quality Function Deployment (QFD) 144, 511
- r**
- 6R 564–567, 580, 582, 596
 - Radius programming 389
 - Ramp-up 506
 - Rank-order clustering (ROC) 318, 320, 326
 - Rapid casting 537
 - Rapid manufacturing 538
 - Rapid product development 175
 - Rapid prototyping (RP) 174, 207, 536
 - Rapid tooling 537, 538
 - Re-conception process 179
 - Reconfigurability 338, 504, 580
 - Reconfigurable
 - assembly system 580
 - fixturing system 580
 - machining system 580
 - manufacturing system (RMS) 580
 - material-handling system 580
 - Reconfiguration 302
 - Recover 564
 - Recrystallization 416
 - Recyclability 576
 - Recycle 564
 - Redesign 564
 - Reduce 564
 - Redundancy 505
 - References
 - geometry dimension 114
 - lines 40
 - machine reference (M) 390, 391
 - part reference zero (PRZ) 390, 391
 - planes 40
 - points 40
 - tool reference 390, 391
 - Reflective signal 193
 - Regularizing term 205
 - Reinforcing ribs 439

- Relational database management systems (RDBMSs) 520
 - Remanufacturing 564
 - Remote service 566, 567
 - Repeatability 338, 535
 - Representation energy 205
 - Representation of shape 53
 - Resiliency 504
 - Resource efficiency 584
 - Return on Investment (RoI) 178, 295, 511
 - Reuse 564, 576
 - Reverse engineering (RE) 173–175, 178, 207, 213, 549
 - Revolution per minute (RPM) 397, 399
 - Reynolds number (Re) 424
 - Right angle plate 345
 - Rigid body 343
 - Rigid contacts 343
 - Rising cost of energy 566
 - Robot configurations 156
 - Robotic fixtureless assembly 353
 - Robot platform 161
 - Rotational products 305
 - Route sheet 290
 - Rule-based controls 377
 - Runner
 - branched 465
 - main 465
 - system 441, 462, 464
- S**
- Scalability 504, 580
 - Scale-invariant feature transform (SIFT)
 - algorithm 200
 - Scanning methods
 - area scanning 200
 - line scanning 194, 199, 200
 - single-point 194, 199, 200
 - Scanning processes 199
 - Screw 433
 - Sea level 569, 570
 - Selective deposition lamination (SDL) 559
 - Selective laser melting (SLM) 535, 559
 - Selective laser sintering (SLS) 556, 558
 - Sellers' market 331
 - Services as products 566, 567
 - Service workflow 500
 - Servo controller 382
 - Setup planning 355
 - Shannon entropy 506
 - Shape-from-motion 192
 - shape-from-shading 192
 - Shaping processes 414, 416, 419
 - Sheet lamination 543, 547
 - Sheet moulding compound 483
 - Shortage of nature resources 566
 - Short shot 435, 436, 442
 - Shrinkage 426, 428, 455, 470, 474
 - Shrinkage allowance 428
 - Shrinkage compensation 437, 438
 - Shrink factors 427
 - Shut-off surfaces 476
 - Simio 522–530
 - Simple machines
 - box closer 227
 - can crusher 227
 - car window wiper 227
 - exercise machine 227
 - front loader 227
 - microwave carrier 227
 - package mover 227
 - simple press 227
 - Simulation Programming Language (Simsript) 523
 - single-linkage clustering (SLC) 318
 - Single-point cutting 383
 - Sink marks 443, 446
 - Sin plate 345
 - Sintering 416, 417
 - Slicing planning 551
 - Slugs 463, 467, 468
 - Small and medium sized enterprise (SME)
 - 4, 19, 116, 326, 348, 394, 433, 454
 - Smart things 501
 - Social, mobility, analytics, and cloud (SMAC)
 - 511
 - Software as a service (SaaS) 7
 - Software system 17, 188, 284
 - Solidifications 416, 432
 - Solidification time 426

- Solid imaging concept modelling 537
- Solid modelling 68
- Solid primitives 68, 69, 72
- SolidWorks
 - add-ins 273, 444
 - animation 271–273
 - assembling 444
 - basic motion 271–273
 - configuration publishers 87, 111, 112
 - costing analysis 594
 - design library 164, 168
 - display/delete relations 100
 - HSMWorks 405, 406
 - mechanical event simulation 277
 - modelling 444
 - motion analysis 269, 272–274, 278
 - plastics 443, 444, 446, 448
 - property manager 111
 - ScanTo3D 211
 - simulation 444
 - smart dimension 97, 99
 - smart fasteners 164
 - sustainability 586, 588, 591, 592
 - toolbox 85, 163
- Spatial mechanism 246
- Sprue 463, 466, 468
- Sprueless gating 471
- Stability analysis 356
- Standardization, modularization, and
 - platforms (S/M/P) 130, 132, 138, 139, 164
- Standardized modules 349
- Standard operation procedure (SoP) 333
- Standards and specifications 333
- Starting materials 414
- Statement
 - auxiliary 396
 - geometric 396
 - motion 396
 - post-processor 396
- Stereolithography apparatus (SLA) 543, 559
- Stiffness analysis 356
- STL 550–552
 - standard tessellation language 550
 - standard triangle language 550
- stereolithography (SLA) 550, 556
- storage equipment 289
- Strengths, weaknesses, opportunities, and threats (SWOTs) 585, 587
- Stress concentration 469
- Structural simulation 277
- Structure types
 - hierarchical 54, 55
 - network 54, 55
 - relational 54
- Sub-plate 345
- Subtractive manufacturing 540
- Supply chain 542
- Supply chain management (SCM) 500, 511, 514, 542
- Supports 344, 345
- Support structure 557
- Surface finish 331, 415, 535
- Surface flatten 487, 488
- Surface reconstruction 181, 184, 190
- Surface to volume ratio 462
- Surface treatment 414, 415
- Surface treatment types, deburring, metal spraying, sanding
 - anodizing 415
 - belt grinding 415
 - buffing 415
 - electroplating 415
 - galvanizing 415
 - honing 415
 - lapping 415
 - metallic coating 415
 - organic finishes 415
 - painting, inorganic coating 415
 - plastic coating 415
 - polishing 415
 - sand lasting 415
 - surper finishing 415
 - tumbling 415
- Surface types
 - freeform 58
 - ruled 58
 - swept 58
- Sustainability 38, 505, 563, 566, 572, 579, 580

- SustainabilityXpress 594
- Sustainable manufacturing 3, 505, 563, 564, 575, 576, 578, 582–584
- Synthesis types
 - dead-center problem 232
 - function generation 232
 - motion generation 232
 - path generation 232
- System architecture 507
- System entropy 505
- System layout
 - continuous process 290, 292
 - fixed position 292
 - flexible system layout 290
 - flow shop 290–292
 - job shop 290, 291, 294
 - product 292
 - project shop 290, 292
- System of systems 87
- System paradigm 580, 582

- t**
- Task space 230, 232, 249
- Temperature distribution 473
- Tessellated model 550
- The first time correct 11
- Thermal degradation 426, 435
- Thermoformable materials 483
- Thermoforming processes 417
- Thermo-viscoplastic 484
- The rule of thumb 558
- 3D printing 535, 536
- Thumbscrew 336
- Time domain 219, 220
- Timeliness 508
- Tolerance analysis 10, 356
- Tool body 344
- Tooling 333, 451, 456
- Tool material selection
 - corrosion resistance 459
 - cost 459
 - dimensional stability 459
 - easy of machining 459
 - hardness 459
 - hot hardness 459
 - strengths 459
 - surface finish 459
 - toughness 459
 - wear resistance 459
- Toolpath 289
- Tools
 - cutting 452
 - dies 453, 455
 - drilling 452
 - fixtures 453, 455
 - inspection 452
 - Jigs 453, 455
 - moulds 453–455
 - picking and placing 452
 - split 481
- Tools, dies, and moulds (TDMs) 451, 453, 454, 457, 492
- Top-down approach 86, 146, 147, 150
- Topological knowledge reuse 86
- Total energy 586, 592
- Total quality management (TQM) 6, 7, 500
- Traditional machine 221
- Transmissive signal 193
- Transportation and use 591
- Transport equipment 289
- Tripod 229, 244
- Turbulence 424
- Type synthesis 230

- u**
- Ubiquitous connectivity 515
- Ultrasonic abrasion 554
- Ultrasonic additive manufacturing (UAM) 547, 559
- Ultrasonic machining (USM) 415
- Ultraviolet (UV) 543
- Undercuts 476
- United Nations (UN) 569
- Unit load formation equipment 289
- Universality 504
- User defined functions (UDFs) 117
- User parameter 98, 99

- v**
- Value added processes 297, 457
- Variable cost 137

Vat photopolymerization 543, 544, 549
Vector-loop method 240, 241, 246, 247
Vee block 345
Versatile vise 346
Vibratory bowl abrasion 554
Virtual
 assembly 208
 design 269, 447
 enterprise 20
 manufacturing (VM) 290, 297, 299, 302
 model 284
 product model 129, 536, 550
 reality (VR) 500, 514
Viscosity 464
Vise 346
Visibility 521
Visual inspection 304
Visualization toolkit (VTK) 186
Volume and variants 286, 287

W

Wall thickness 439
Warm working 416, 417
Warpages 442
Waste management 577, 594
Water eutrophication 586, 592
Wealth distribution 566, 567
Weld lines 440, 441, 443, 470
Well 466
Well-structured environment 221
Wizard tools 444
Workflow 515
Workholding 346, 349, 350, 456
Work-in-process (WIP) 293, 376
Workpiece deformation 334
World axis standards 385
World population 566
Write many and read many (WORM) 520
Write once and read many (WORM) 520